

React一侧边栏/工具栏的隐藏

1. 内容概述

ActiveReportsJS在项目中预览展示的时候，侧边栏和工具栏能够根据实际业务场景进行隐藏，本章节主要介绍怎样调用接口隐藏侧边栏和工具栏。

2. 具体实现

调用Viewer相关方法：

```
//  
viewer.current.Viewer.toggleSidebar(false);  
//  
viewer.current.Viewer.toggleToolbar(false);
```

在React中的实现代码：

```
import React, {Fragment} from "react";
import "@grapecity/activereports-localization-zh";
import ReactDOM from "react-dom";
import {Viewer as ReportViewer} from "@grapecity/activereports-react";
import "@grapecity/activereports-localization";

function App() {
    const viewer = React.useRef();
    React.useEffect(() => {
        if (!viewer.current) return;

        //
        viewer.current.Viewer.toggleSidebar(false);
        //
        viewer.current.Viewer.toggleToolbar(false);
    }, []);
    return (
        <Fragment>
            <div id="viewer-host" style={{height: "800px"}}>
                <ReportViewer report={
                    {
                        Uri: "reports/p-report.rdlx-json",
                        Params: {"P1": "1"}
                    }
                } ref={viewer} language={"zh"} />
            </div>
        </Fragment>
    );
}

ReactDOM.render(<App/>, document.getElementById("root"));
```

3. 实现效果

隐藏前：

A screenshot of a web browser window titled "ActiveReportsJS sample". The URL is "localhost:3000". The interface includes a dark sidebar on the left with icons for search, refresh, and other navigation. A red arrow points to this sidebar with the label "Sidebar". Above the main content area is a toolbar with various icons, also highlighted by a red box and labeled "Toolbar". The main content area displays a table with the following data:

post Id	id	name	email
1	1	id labore ex et quam laborum	Eliseo@gardner.biz

隐藏后：

A screenshot of the same web browser window after the sidebar has been hidden. The main content area now occupies the full width of the page. The table remains the same, showing the same data as the first screenshot.

4. demo附件下载

